

EM Bearing Grease

Revision date 13-Nov-2015

Supersedes date 13-Aug-2015

Version 1.01

1. IDENTIFICATION

1.1. Product identifier

Product name EM Bearing Grease
Synonyms None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Lubricating grease
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier D-A Lubricant Company, Inc.
801 Edwards Drive
Lebanon, IN 46052 United States
(317) 923-5321

1.4. Emergency telephone number

ChemTel Emergency telephone 1-800-255-3924
International Emergency telephone +01-813-248-0585

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin sensitization Category 1

2.2. Label elements

Signal word WARNING
Hazard statements May cause an allergic skin reaction.
Symbols/Pictograms



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Dispose of contents/container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC)

Not applicable.

2.4. Other information

6.12% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical name	CAS No	weight-%
N,N'-(Methylenedi-4,1-phenylene)bis(N'-cyclohexylurea)	58890-25-8	2.5-5
Long chain alkenyl amide borate	UNKNOWN	0.1-1

The exact percentage (concentration) of composition has been withheld as a trade secret.

Ingredient comments

This product is a polyurea grease based on mineral oil with additives. The mineral oils in the product contain <3% DMSO-extract (IP 346).

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Skin contact	Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Ingestion	Do not induce vomiting without medical advice. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms MAY CAUSE ALLERGIC SKIN REACTION.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	Use CO ₂ , dry chemical, or foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Not flammable. Fire may produce irritating and/or toxic gases.

Hazardous combustion products Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Extremely slippery when spilled. Avoid contact with eyes and skin. Avoid breathing vapors or mists. Use personal protection recommended in Section 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Take up with sand or other non-combustible absorbent material and place into containers for later disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Extremely slippery when spilled. Avoid prolonged or repeated contact with skin. Avoid breathing vapors or mists.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Keep at a temperature not exceeding 45°C.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters


Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium carbonate			TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Xylene	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 655 mg/m ³	
Diethanolamine	TWA: 1 mg/m ³ inhalable fraction and vapor S*	(vacated) TWA: 3 ppm (vacated) TWA: 15 mg/m ³	TWA: 3 ppm TWA: 15 mg/m ³
Ethylbenzene	TWA: 20 ppm	TWA: 100 ppm TWA: 435 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 435 mg/m ³ (vacated) STEL: 125 ppm (vacated) STEL: 545 mg/m ³	IDLH: 800 ppm TWA: 100 ppm TWA: 435 mg/m ³ STEL: 125 ppm STEL: 545 mg/m ³
Diphenylamine	TWA: 10 mg/m ³	(vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

8.2. Exposure controls

Engineering controls	Eyewash stations Ventilation systems
-----------------------------	---

8.3. Individual protection measures, such as personal protective equipment

Hand protection	Wear protective nitrile rubber gloves. Thickness ≥ 0.38 mm - breakthrough time >480 minutes. Thickness 0.1 mm - splash protection.
Eye/face Protection	No special technical protective measures are necessary.
Skin and body protection	Suitable protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Smooth
Physical state	Semi-solid
Color	blue
Odor	No information available
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH		Not applicable
Melting point/freezing point		No information available
Boiling point/boiling range		Not applicable
Flash point	> 150 °C / > 302 °F	Based on base oils
Evaporation rate		Not applicable
Flammability (solid, gas)		No information available
Flammability limits in air		No information available
Upper flammability limit		
Lower flammability limit		
Vapor pressure		Not applicable
Vapor Density		Not applicable
Relative density		No information available
Water solubility		No information available
Solubility in other solvents		No information available
Partition coefficient (n-octanol/water)		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Kinematic viscosity		No information available
Dynamic viscosity		No information available

Other information

Density < 1000 kg/m³ @ 25 °C / 77 °F

10. STABILITY AND REACTIVITY**10.1. Reactivity**

Stable.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

None under normal processing.

11. TOXICOLOGICAL INFORMATION**11.1. Information on likely routes of exposure**

Inhalation Inhalation of oil mist may cause irritation, headaches, nausea and breathing difficulties.

Ingestion Malaise (vague feeling of discomfort).

Skin contact May be harmful in contact with skin.

Eye contact May cause slight irritation.

11.2. Information on toxicological effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not hazardous based on component data.

Serious eye damage/eye irritation Not hazardous based on component data.

Sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Not hazardous based on component data.

Carcinogenicity Not hazardous based on component data.

Reproductive toxicity Not hazardous based on component data.

STOT-single exposure Not hazardous based on component data.

STOT-repeated exposure Not hazardous based on component data.

Aspiration hazard Not hazardous based on component data.

11.4. Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	LC50 (lethal concentration)
---------------	-----------	-------------	-----------------------------

N,N"-(Methylenedi-4,1-phenylene)bis(N'-cyclohexylurea) 58890-25-8	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Long chain alkenyl amide borate UNKNOWN	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Acute toxicity 6.12% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5142 mg/kg
ATEmix (dermal) 5503 mg/kg

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

Not regarded as dangerous for the environment. Occasional major emissions or frequently recurring minor emissions may have a harmful or disturbing effect.

12.2. Persistence and degradability

Not readily biodegradable.

12.3. Bioaccumulative potential

Material does not bioaccumulate.

12.4. Mobility in soil

After release, adsorbs onto soil.

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of wastes

Dispose of in accordance with federal, state and local regulations. Use personal protection recommended in Section 8.

Contaminated packaging

Dispose of in accordance with federal, state and local regulations.

US EPA waste number

No information available

Other information

Waste codes should be assigned by the user based on the application for which the product was used

14. TRANSPORT INFORMATION

14.1. UN number

Not regulated

14.2. UN proper shipping name

Not regulated

14.3. Transport hazard class(es)

Not regulated

14.4. Packing group

Not applicable

14.5. Environmental hazards

None

14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

14.7. Special precautions for user

None

15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

International Inventories

TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	Complies
KECL	-
PICCS	Complies
AICS	-
NZIoC	-

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Diethanolamine - 111-42-2	Carcinogen
Ethylbenzene - 100-41-4	Carcinogen

U.S. State Right-to-Know Regulations**US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Xylene 1330-20-7	X	X	X
Diethanolamine 111-42-2	X	X	X
Ethylbenzene 100-41-4	X	X	X
Diphenylamine 122-39-4	X	X	X


U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection p

NFPA Health hazards 1 Flammability 1 Instability 0 Special Hazard -



Revision date 13-Nov-2015

Revision note SDS sections updated, 1, 2, 11, 15

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Material Safety Data Sheet