



# PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Date of issue: 11/29/2018 Version: 1.0 Date of Revision: 11/18/2021

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30  
PennGrade High Mileage SAE 0W-20  
Product code : PennGrade FS-HM

#### 1.2. Recommended use and restrictions on use

Recommended use : Lubricant  
Restrictions on use : No additional information available

#### 1.3. Supplier

D-A Lubricant Company, Inc.  
801 Edwards Dr  
Lebanon, IN 46052  
T 317-923-5321, Toll Free 1-800-873-2582  
[www.dalube.com](http://www.dalube.com)

#### 1.4. Emergency telephone number

Emergency number : 1-800-424-9300 Toll-Free / Local +1-703-527-3887 USA/CAN 24 hours

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labelling

No labelling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%)	(CAS-No.) 72623-87-1	80 - 90	Asp. Tox. 1, H304

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

# PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### **4.2. Most important symptoms and effects (acute and delayed)**

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### **4.3. Immediate medical attention and special treatment, if necessary**

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

### **5.1. Suitable (and unsuitable) extinguishing media**

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### **5.2. Specific hazards arising from the chemical**

Fire hazard	: Burning produces irritating, toxic and noxious fumes.
Reactivity	: No dangerous reactions known.

### **5.3. Special protective equipment and precautions for fire-fighters**

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

General measures : Avoid all eye and skin contact and do not breathe vapour and mist.

#### **6.1.1. For non-emergency personnel**

Protective equipment	: Refer to section 8.2.
Emergency procedures	: Evacuate unnecessary personnel.

#### **6.1.2. For emergency responders**

Protective equipment	: Refer to section 8.2.
Emergency procedures	: Ventilate area.

### **6.2. Environmental precautions**

Prevent entry to sewers and public waters.

### **6.3. Methods and material for containment and cleaning up**

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### **6.4. Reference to other sections**

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Do not eat, drink or smoke when using this product.

### **7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions	: Keep only in the original container in a cool well ventilated place.
--------------------	--

# PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible products : Strong bases. Strong acids. Strong oxidizers.  
Incompatible materials : Sources of ignition. Direct sunlight.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)

Not applicable

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Avoid creating mist or spray. Avoid splashing. Ensure good ventilation of the work station.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Hand protection:

Use rubber gloves.

##### Eye protection:

In case of splashing or aerosol production: protective goggles.

##### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

##### Other information:

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : amber  
Odour : petroleum  
Odour threshold : No data available  
pH : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : > 185 °C  
Relative evaporation rate (butylacetate=1) : No data available  
Flammability (solid, gas) : Non flammable.  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available  
Relative density : No data available  
Solubility : No data available  
Log Pow : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity, kinematic : 37.4 - 60.3 mm<sup>2</sup>/s @ 40 °C  
Viscosity, dynamic : No data available  
Explosive limits : No data available

# PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties : No data available  
Oxidising properties : No data available

### **9.2. Other information**

No additional information available

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

No dangerous reactions known.

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

### **10.4. Conditions to avoid**

Direct sunlight. Extremely high or low temperatures.

### **10.5. Incompatible materials**

Strong acids. Strong bases. Strong oxidizers.

### **10.6. Hazardous decomposition products**

None under normal use.

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### **Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)**

LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified.  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
  
STOT-repeated exposure : Not classified  
  
Aspiration hazard : Not classified  
Viscosity, kinematic : 37.4 - 60.3 mm<sup>2</sup>/s @ 40 °C  
  
Likely routes of exposure : Skin and eye contact. Inhalation.  
Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## **SECTION 12: Ecological information**

### **12.1. Toxicity**

#### **Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)**

LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 10000 mg/l
ErC50 (algae)	>= 100 mg/l

# PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)

NOEC (acute)	> 100 mg/kg
--------------	-------------

#### 12.2. Persistence and degradability

##### PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

Persistence and degradability	Not established.
-------------------------------	------------------

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

Biodegradation	2 - 4 %
----------------	---------

#### 12.3. Bioaccumulative potential

##### PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

Bioaccumulative potential	Not established.
---------------------------	------------------

#### 12.4. Mobility in soil

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (DMSO < 3%) (72623-87-1)

Mobility in soil	22 %
------------------	------

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

## SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

# PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### National regulations

No additional information available

### 15.3. US State regulations

**⚠ WARNING:** This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Component	Carcinogenicity	Developmental toxicity	Reproductive toxicity male	Reproductive toxicity female	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Naphthalene(91-20-3)	X				5.8 µg/day	
Toluene(108-88-3)		X				7000 µg/day (oral); 13000 µg/day (inhalation)
Benzene(71-43-2)	X	X	X		6.4 µg/day (oral); 13 µg/day (inhalation)	24 µg/day (oral); 49 µg/day (inhalation)
ethylbenzene(100-41-4)	X				54 µg/day (inhalation); 41 µg/day (oral)	

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources : European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

Full text of H-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.

Abbreviations and acronyms:


	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	STEL: Short Term Exposure Limits
	TSCA: Toxic Substances Control Act
	TWA: Time Weighted Average
	WEL: Workplace Exposure Limit

# PennGrade Full Synthetic SAE 0W-16, SAE 0W-20, SAE 5W-20, SAE 5W-30, SAE 10W-30, PennGrade High Mileage SAE 0W-20

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



**SDS Prepared by:** The Redstone Group, LLC  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio USA 43016  
[www.redstonegrp.com](http://www.redstonegrp.com)  
614.923.7472

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*